

L Number	Hits	Search Text	DB	Time stamp
45	133	(object near reference near object) same address same pointer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
73	109	store near reference near object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
79	124	(object near reference same difference) and pointer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
97	122	((711/220).CCLS.) and contiguous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
126	1981	(711/100,200,220).CCLS.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 15:05
127	997	(707/103r).CCLS.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 15:05
128	1363	(719/310,315).CCLS.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 15:06
129	583	(pointer or reference or address or location) with offset with (add\$3 or addition or minus or subtract\$4 or difference) same object	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 15:10
130	357	(pointer or reference or address or location) with offset with (add\$3 or addition or minus or subtract\$4 or difference) with object	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 15:11
132	207	(pointer or reference) with offset with (add\$3 or addition or minus or subtract\$4 or difference) with object	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 15:12
133	4	((711/100,200,220).CCLS.) and ((pointer or reference) with offset with (add\$3 or addition or minus or subtract\$4 or difference) with object)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 15:21
134	6	((707/103r).CCLS.) and ((pointer or reference) with offset with (add\$3 or addition or minus or subtract\$4 or difference) with object)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 15:20

135	2	((719/310,315).CCLS.) and ((pointer or reference) with offset with (add\$3 or addition or minus or subtract\$4 or difference) with object)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 15:20
136	15	((711/100,200,220).CCLS.) and ((pointer or reference or address or location) with offset with (add\$3 or addition or minus or subtract\$4 or difference) same object)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 15:23
137	7	((707/103r).CCLS.) and ((pointer or reference or address or location) with offset with (add\$3 or addition or minus or subtract\$4 or difference) same object)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 15:23
2	14	((711/???).CCLS.) and (numeric adj referenc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:55
3	1	((numeric adj referenc\$3) same pointer) and @ay < "1999"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:55
4	3	((referenc\$3) same (machine adj pointer)) and @ay < "1999"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:55
5	73	((711/1,6,200,220).CCLS.) and ((tag\$4 or bit or status or flag or variable) near3 (contin\$4))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:55
6	64	((711/1,6,200,220).CCLS.) and ((pointer or reference) with (tag\$4 or bit or status or flag or variable) with (contiguous or contiguity or adjacent or next ))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:55
7	0	((711/1,6,200,220).CCLS.) and (smart adj pointer)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:54
8	0	((711/1,6,200,220).CCLS.) and (smart adj reference)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:54
9	52	((711/1,6,200,220).CCLS.) and ((pointer or reference) with (tag\$4 or bit or status or flag or variable) with (offset))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:55
10	25	((pointer adj (calculat\$3)) and @ad < "19980211") and ((711/???).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:55
11	19	((711/220).CCLS.) and @ad < "19980211") and (object same pointer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:55

12	62	((711/220).CCLS.) and @ad < "19980211") and (contiguous)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:55
13	9	5822788.URPN.	USPAT	2004/10/11 12:55
14	57	(object near pointer near referenc\$3) and calculat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:54
15	21	((object near pointer near referenc\$3) and calculat\$3) and @ad < "19980211"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:55
16	42	object near (pointer or referenc\$3) near calculat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:54
17	19	(object near (pointer or referenc\$3) near calculat\$3) and @ad < "19980211"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:55
19	11	((711/220).CCLS.) and (object near (reference or pointer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:55
18	18	((709/???).CCLS.) and (object near pointer near referenc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:54
20	5	((709/???).CCLS.) and (object near pointer near referenc\$3)) and @ad < "19980211"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:55
21	37	swizzl\$3 near pointer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
22	17	(swizzl\$3 near pointer) and @ad < "19980211"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
23	7	((709/???).CCLS.) and (machine adj pointer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
24	49	(machine adj pointer) and @ad < "19980211"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56

25	37	(((709/???).CCLS.) and (object adj referenc\$3)) and pointer) and contiguous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:54
26	18	(((709/???).CCLS.) and (object adj referenc\$3)) and pointer) and contiguous) and @ad < "19980211"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
27	53	Pointer adj Analysis	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
28	92	invariant adj object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
29	13	(address adj calculation) and (invariant adj reference)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
30	58	(invariant adj reference) and @ad < "19980211"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
31	5	((invariant adj reference) and @ad < "19980211") and pointer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
32	2	object near pointer near sum	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
33	4	object near pointer near generation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
34	35	4128875.URPN.	USPAT	2004/10/11 12:56
35	28	4128875.URPN. and (object)	USPAT	2004/10/11 12:56
37	8	((703/27).CCLS.) and (object near (reference or pointer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
36	2	("5109336"   "5420999").PN.	USPAT	2004/10/11 12:56
38	20	(US-5778416-\$ or US-5956756-\$ or US-5636224-\$ or US-5479627-\$ or US-4835733-\$ or US-6023750-\$ or US-5822788-\$ or US-5706461-\$ or US-5694568-\$ or US-4450522-\$ or US-4428045-\$ or US-4128875-\$ or US-6195676-\$ or US-5794256-\$ or US-5437025-\$ or US-6199141-\$ or US-5027273-\$ or US-4928237-\$ or US-6009266-\$ or US-5504895-\$).did. or (US-20010003840-\$).did.	USPAT; US-PGPUB	2004/10/11 12:56

39	61	(object adj (reference or pointer) same array) and contiguous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
40	23	object same pointer same de-reference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
41	77	object same (add adj pointer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
42	98	object same ((sum or add) near pointer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:54
43	15	object same (sum near pointer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
44	41	(object same ((sum or add) near pointer)) and @ad < "19980211"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
46	3	(object near reference near array) same address same pointer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
47	45	object near reference near array	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
48	52	(persistent adj object) same pointer same (sum or add or calculat\$3 or generat\$3 or creat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
49	58	((pointer near manipul\$3) same object) and @ad < "19980211"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
50	1	pointer near logical near physical near translation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
51	3	5430857.URPN.	USPAT	2004/10/11 12:56
131	5	(pointer or reference or address or location) with offset with (add\$3 or addition or minus or subtract\$4 or difference) with object with machine	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 15:12

52	7	((709/???).CCLS.) and (pointer near de-referenc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
53	31	((709/???).CCLS.) and (pointer near translat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:54
54	15	(((709/???).CCLS.) and (pointer near translat\$3)) and @ad < "19980211"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
55	1	object near pointer near alias\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
56	15	(object near pointer) same alias\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
57	6	independent near reference same object same pointer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
58	5	((711/220).CCLS.) and (pointer near add)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
59	36	((711/220).CCLS.) and (address near add)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
61	13	((711/220).CCLS.) and ((address or pointer or reference) same (add or subtract) same object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
60	28	object near pointer near (add\$3 or addition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:54
62	66	link\$3 near object near pointer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
63	3	link\$3 near object near pointer and contiguous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
64	21	invariant near reference same object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56

65	4	pointer adj de-referencing same object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
66	9	5822788.URPN.	USPAT	2004/10/11 12:56
67	3	pointer near serializa\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
68	29	4809168.URPN.	USPAT	2004/10/11 12:56
69	1	(6199141.PN. and (object same address adj map\$4)) and (6199141.PN. and (object same address adj map\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
70	1	(6199141.PN. and (object same address adj map\$4)) and (object near pointer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
71	1	(6199141.PN. and (object same address adj map\$4)) and ((pointer or address or reference))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
72	1	(6199141.PN. and (object same address adj map\$4)) and (object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
74	1	((711/220).CCLS.) and @ad < "19980211") and ((709/???).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
75	4	self-relative near reference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
76	100	stor\$3 adj object adj reference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:54
77	48	store adj object adj reference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
78	31	object near (relation or relative or relationship) near pointer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
80	98	pointer adj difference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56

81	17	tagged adj pointer same object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
82	4	contiguity adj indicat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
83	3	contiguity adj bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
84	48	contigu\$3 near (indicat\$3 or value or bit) same object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
85	56	data adj packet same contigu\$5 same pointer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
86	30	(data adj packet same contigu\$5 same pointer) and @ad < "19980211"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
87	60	contigu\$5 adj indicat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:55
88	25	(contigu\$5 adj indicat\$3) and @ad < "19980211"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
89	24	contigu\$3 adj (indicat\$3 or value or bit) same object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
90	11	contigu\$3 adj (indicat\$3 or value) same object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
91	37	continuity adj data same object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
92	50	continuity adj object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
93	37	link adj list same continu\$3 same pointer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56



94	27	5166939.URPN.	USPAT	2004/10/11 12:56
95	2	object near packet near pointer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
96	27	pointer adj swizzling	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
99	63	((("711/220).CCLS.) and contiguous) and @ad < "19980212"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
98	16	page adj referenc\$3 same object same pointer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
100	2	pointer and object and contiguous and non-contiguous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
101	62	congruent near modulo	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
102	3	congruent near modulo same address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/11 12:56
103	13	((("6564223") or ("6401185") or ("6457019") or ("6499095") or ("6279012") or ("6421689")).PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:56
104	3	((("6564223") or ("6401185") or ("6457019") or ("6499095") or ("6279012") or ("6421689")).PN.) and invariant	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:56
105	11	("5426747"   "5794256"   "5805896"   "5845331"   "6009266"   "6105041"   "6128621"   "6154823"   "6178519"   "6199141"   "6298401").PN.	USPAT	2004/10/11 12:56
106	2	6298401.URPN.	USPAT	2004/10/11 12:56
107	3	pointer adj swizzl\$3 same offset	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:56
108	29	pointer adj swizzl\$3	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:56
109	41	(add or adding or addition or subtract or subtracting or subtraction or minus or plus) with (pointer or address or reference) with object with (tag or tagged)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:57

110	3	smart adj pointer with object with offset	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:57
111	3	smart adj pointer with object same offset	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:55
112	7	smart adj pointer same object same offset	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:57
113	6	message near compress\$3 same padding	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:57
114	34	compress\$3 same padding with replac\$5	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:57
115	2	((709/247).cor.) and rpc	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:57
116	33	((709/247).cor.) and pad\$5	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:57
117	15	(("6128621") or ("5805896") or ("6105041") or ("5794256") or ("6009266") or ("6178519") or ("6298401") or ("6199141")).PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:57
118	6	"0967546"	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:57
119	2	("6,345,276").PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:57
120	3	6345276.URPN.	USPAT	2004/10/11 12:57
121	5	("5398334"   "5794256"   "5999987"   "6031995"   "6105041").PN.	USPAT	2004/10/11 12:57
122	7	smart adj pointer same offset same object	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:57
123	10	((pointer or reference) with (add\$3 or addition or sum) with offset) same object same tag\$4	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:57
124	3	6345276.URPN.	USPAT	2004/10/11 14:20

125	5	("5398334"   "5794256"   "5999987"   "6031995"   "6105041").PN.	USPAT	2004/10/11 14:20
1	8	((("6499095") or ("6457019") or ("6434685") or ("6564223"))).PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/10/11 12:49